

DISPENSING BOOTH AIP11-1700



DISPENSING BOOTH AIP11-1700

Dispensing booth is type laminar flow filtration cabin that is used in dispensing, sampling and weighing of powders Used in Drug Formulation, Chemical Industry, Product Dispensing, Large Scale Powder weighing and dispensing, Raw Material Dispensing, Pharmaceutical Industry, Food Industry, Cosmetic Industry.

Also known as Sampling booth,weighing booth.

AIP11-1700 DISPENSING BOOTH

Customized design is welcome

Unique designed air duct effectively controls the noise

Smooth transitions of wall and ground can eliminate the blind angle

Differential pressure gauge is equipped to real-time monitor the filters

Intelligent control mode and alarm system ensure the reliability of running

Automatic changeable frequency system monitors the air velocity to ensure its stability in the work area

Uniform flow design of main working area can protect the operators and prevent environmental pollution and cross contamination of products

Dispensing Booth(Sampling or Weighing Booth) has primary filters, medium efficiency filters and HEPA filters to keep air cleanliness of work area



SPECIFICATIONS

Model	AIP11-1700
Clean Level	ISO 5 (Class 100), Class A
HEPA Filters	99.999% efficiency at 0.3µm
Air volume	Supply air volume: ≤7500m ³ /h, Exhaust air volume: ≤2250m ³ /h; Adjustable
Material	Fully stainless steel
Air Velocity	0.3~0.6m/s, adjustable
Pressure Gauge	3 pcs
Noise	≤75 dB
UV Lamp	30Wx2, Emission of 253.7 nanometers, with UV timer
Illuminating Lamp	16Wx4 & 14Wx2, LED Lamp, Illumination: ≥ 2500lux
Consumption	1700 W
Sockets	2 pcs
Work Area Size (WxDxH)	2400x1800x2000 mm
External Size (WxDxH)	2500x2400x2400 mm
Package Size (WxDxH)	2640x960x2380 mm 2640x780x680 mm 2640x560x2250 mm
Gross Weight	840 kg
Power Supply	AC220V±10%, 50/60Hz; 110V±10%, 60Hz

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com