

CLEAN BOOTH AIP21-4000



CLEAN BOOTH AIP21-4000

Clean booth is used as air purifier and it limits the contamination due to pollutants , thus providing partial high clean environment

Used in Pharmaceutical, Experimental drugs, Processing formula ,electronics, medicine, food, precision instruments, biochemical and chemical industries..

Also known as Down Flow booth.

AIP21-4000 CLEAN BOOTH

Customized design available

It can be used singly or combined

Compared with civil type and fabricated type clean room of hundred clean level, it has low running cost and fast effect and can be easily installed

Modular construction, easy to increase clean level, good expansion and reusable, convenient movement (Universal wheel can be installed)



SPECIFICATIONS

Model	AIP21-4000
Clean Level	ISO 5(Class100),Class A
HEPA Filter	99.999% efficiency at 0.3pm
FFU Nos.	12 pcs
Control System	Microprocessor control system
Rectangular Tube Material	Aluminium alloy
Wall Material	Anti-static dustproof curtain
Blower	Built-in centrifugal blower,speed adjustable
UV Lamp	40Wx3 Emission of 253.7 nanometers with UV timer
Illumination Lamp	16Wx3 LED Lamp,Illumination:2:500lux
Air Velocity	0.1-0.6m/s,average 0.45m/s
Internal Size (WxDxH)	3880x2880x2095 mm
External Size (WxDxH)	4000x3000x2530 mm
Package Size (WxDxH)	3080x980x1280 mmx2, 4080x660x550 mm
Consumption	2800 W
Gross Weight	1100 kg
Net Weight	1020 kg
Noise	≤75 dB
Power Supply	AC220V±10%, 60Hz/50Hz;110V±10%, 60Hz

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com