

LABSTAC

AUTO CHEMISTRY ANALYZER ANA57-20IP



labstac.com

AUTO CHEMISTRY ANALYZER ANA57-20IP

Auto Chemistry Analyzer used to measure different chemicals and clinical chemistry of human biological samples. Used in Clinical diagnostic, biochemical tests, Food industry.
Also known as Biochemistry Analyzer, Clinical chemistry analyzer.

ANA57-20IP AUTO CHEMISTRY ANALYZER

Easy operation by one button.

End point, kinetic, fixed time, rate, etc.

Filter wavelength: 340/405/450/510/546/578/630nm, 2 more open filter positions, others on request.

With 20 incubating positions

Large Memory to store 144 test programs and 5600 testing results

Excellent Q.C function, Q.C chart can be stored, displayed and printed

37°C temperature in flow cell and incubating

Real time graph can be displayed and printed



SPECIFICATIONS

Model	ANA57-20IP
Reading cuvette	Quartz cuvette: Both through cell and direct reading cuvette
Incubating positions	20 incubating positions
Light source	6V, 10W long life halogen lamp
Filters	340/405/450/510/546/578/630nm, 2 more open filter positions
Wavelength accuracy	± 2nm
Measuring range	0~3.500 O.D.
Photometric linearity	±2% from 0 to 2.500 O.D.
Photometric accuracy	±2% from 0 to 2.500 O.D.
Drift	<0.005 O.D.
Incubator Temperature	R.T. 25 °C, 30 °C, 37 °C
Control	Precision: ±0.1 °C
Display	Touch Screen
Printer	Built-in thermal printer
Interface	RS-232, USB
External Size(WxDxH)	400x380x200 mm
Packing Size(WxDxH)	500x530x350 mm
Gross Weight	12 kg
Power Supply	AC110/220 V± 10%, 60/50 Hz

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com