

DRY BATH INCUBATOR BAC13-150



DRY BATH INCUBATOR BAC13-150

Compact design with stable operation, easy cleaning, replacement and disinfection of metal blocks. It is widely used for enzyme reactions, immunoassays, melting and boiling points, incubation and activation of cultures and variation of laboratory procedure. Flexible to accommodate a variety of interchangeable heating blocks.

Used in Clinical, General Chemistry, Preservation, Reactions of sample, DNA amplification, Initial Denaturation of electrophoresis.

Also known as Laboratory Dry Bath Chiller.

BAC13-150 DRY BATH INCUBATOR

Microprocessor controlled incubation temperature and time

Compact design with stable operation

Rapid heat up, uniform heating, high stability, low energy consumption and noise

Simultaneous display of set temperature and time

Built in temperature calibration function

Aluminium blocks ensures even heat distribution, eliminating the possibility of heater burnout

Custom blocks available to meet experimental requirements

Easy cleaning, replacement and disinfection of metal blocks

Automatic fault detection and buzzer alarm function

Audio alarm indicates program completion

Over temperature protection device



SPECIFICATIONS

| | |
|------------------------------|----------------------------|
| Model | BAC13-150 |
| Temp.Control Range | R.T.+5 °C~150 °C |
| Temp. Setting Range | 5 °C~150 °C |
| Time Range | 1 min~99 h 59 min |
| Temp.Stability @40~100°C | ±0.5 °C |
| Temp.Stability @100°C | ±1 °C |
| Block Temp.Uniformity@40°C | ±0.3 °C |
| Block Temp.Uniformity@>100°C | ±0.5 °C |
| Temp. Display Accuracy | 0.1 °C |
| Heating Speed | ≤30 min(20 °C to 150 °C) |
| Sample Capacity | 1 standard block |
| Voltage | AC 220 V/AC 110 V,50/60 Hz |
| Power | 200 W |
| Fuse | 250 V,2A/3A,φ5x20 |
| Dimension | W.200 x D.230 x H.95mm |
| Net Weight | 2.6 kgs |

OPTIONAL ACCESSORIES

| Accessory Code | Name | Description | Capacity |
|----------------|---------|----------------|----------------|
| 1702007005 | Block A | 6 mm | 42 |
| 1702007006 | Block B | 7 mm | 42 |
| 1702007007 | Block C | 10 mm | 20 |
| 1702007008 | Block D | 12 mm | 20 |
| 1702007009 | Block E | 13 mm | 20 |
| 1702007010 | Block F | 15 mm | 12 |
| 1702007011 | Block G | 16 mm | 12 |
| 1702007012 | Block H | 19 mm | 12 |
| 1702007013 | Block I | 20 mm | 6 |
| 1702007014 | Block J | 26 mm | 6 |
| 1702007015 | Block K | 28 mm | 4 |
| 1702007016 | Block L | 40 mm | 2 |
| 1702007017 | Block M | 0.5 mm | 42 |
| 1702007018 | Block N | 1.5 mm | 24 |
| 1702007019 | Block O | 2.0 mm | 24 |
| 1702007020 | Block P | 0.2 mm | 48 |
| 1702007021 | Block Q | 0.2 mm | 96 |
| 1702007022 | Block R | Flat (no hole) | 96 micro-plate |

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com