

DRY BATH INCUBATOR BAC1B-105



DRY BATH INCUBATOR BAC1B-105

Compact design with stable operation, easy cleaning, replacement and disinfection of metal blocks. It is widely used for enzyme reactions, immunoassays, melting and boiling points, incubation and activation of cultures and variation of laboratory procedure. Flexible to accommodate a variety of interchangeable heating blocks.

Used in Pharmaceutical, Chemical, Food Safety, Environment, Quality inspection, Laboratory.

Also known as Laboratory Dual Temperature Dry Bath Incubator.

BAC1B-105 DRY BATH INCUBATOR



SPECIFICATIONS

Model	BAC1B-105
Capacity	22.5 L
Function	Heating function
Temperature Range	RT+5-105 °C
Temperature Accuracy for blocks	±0.5°C
Temperature Uniformity	±0.5°C(within the blocks)
Display Accuracy	0.1°C
Cleaning Tank (LxWxH)	500x300x150 mm
Outer Dimension (WxDxH)	640x340x370 mm
Weight	2.3 kg
Lid's Temperature range	RT+5-110°C
Maximum Input Power	1500
Maximum Output Power	720
Heating Power	1000
Power Adjustable (%)	30-100
Drain	YES
Level Control System	YES



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com