LABSTAC

MINI DRY BATH INCUBATOR BAC43-099C

labstac.com

MINI DRY BATH INCUBATOR BAC43-099C

It is a micro-processor controlled heating block with heater or semiconductor refrigeration technology. It provides safe, compact, dry heat for a wide variety of clinical and general chemistry applications to give you reproducible results. Mostly used in preservation and reactions of sample, DNA amplification and initial denaturation of electrophoresis and so forth.
Used in Clinical, General Chemistry, Preservation, Reactions of sample, DNA amplification, Initial Denaturation of electrophoresis, Laboratory.
Also known as Digital Heating Block, Laboratory Mini Dry Bath Incubator.

BAC43-099C MINI DRY BATH INCUBATOR

SPECIFICATIONS

Model	BAC43-099C
Temperature Range	RT+5-99.9°C (BX7103 & BX7104) 0-99.9°C(BX7102)
Temperature Stability	0.2°C
Display Accuracy	0.1°C
Outer Dimension (WxDxH)	360x180x150 mm
Weight	3 kg
Temperature Control Accuracy	≤0.5°C
Power	120 W
Power Supply	12 V DC
Note	* only for BX7102

Labstac LLC
82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com