

DRY BATH CHILLER BAC71-16



DRY BATH CHILLER BAC71-16

Dry Bath Chillers are reliable, easy to use and maintain. Specially designed to meet application demands of laboratories. Greater energy efficiency and less environmental impact, as well as offering increased temperature ranges and greater stability.

Used in Pharmaceutical, Chemical, Food Safety, Environment, Quality inspection, Laboratory.

Also known as Laboratory Dual Temperature Dry Bath Incubator.

BAC71-16 DRY BATH CHILLER



SPECIFICATIONS

Model	BAC71-16
Capacity	6 L
Function	Heating function
Temperature Range	Maintains at 16°C
Temperature Uniformity	±0.5°C
Cleaning Tank (LxWxH)	300x150x150 mm
Outer Dimension (WxDxH)	420x230x320 mm
Weight	1.4 kg
Temperature Precision	±0.5°C
Operation Ambient Temperature	8-30°C
Maximum Input Power	450
Maximum Output Power	180
Heating Power	250
Power Adjustable (%)	30-100
Drain	NO
Level Control System	NO
Power Supply	12 V DC, 7A

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com