

PRECISION BALANCE BAL26-3100



PRECISION BALANCE BAL26-3100

Precision Balance incorporates unique high end technology which is built to match the highest international standards. Outstanding weighing performance and innovative sample handling technologies are used. Due to its efficiency, error-free, and compliant features it becomes an unique product.

Used in Chemistry, Biological Research, Industry, Laboratory.

Also known as Loading Balance, Laboratory Precision Balance, Laboratory Loading Balance, Precision Scale, Laboratory Precision Scale.

BAL26-3100 PRECISION BALANCE

Aluminium shell, Anti-jamming, Anti-radiation

LED digital display

The multiple functions modes with tare, counting, unit conversion and weighing



SPECIFICATIONS

| Model | BAL26-3100 |
|-----------------------|------------|
| Capacity (g) | 3100 g |
| Resolution (g) | 0.01 g |
| Min Weighing (g) | 0.04 g |
| Stable Time | 3 sec |
| Display | LED / LCD |
| Sensor | Load Cell |
| Pan Size | 180x180 mm |
| Operation Temperature | 5-25°C |
| Repeatability | ±0.03 g |
| Cal. Weight | 2000 g |
| Gross Weight | 5 kg |

OPTIONAL ACCESSORIES

| Accessory Code | Name |
|----------------|--------------------------|
| 3500505005 | RS232C & RS485 Interface |
| 3500505006 | Printer |
| 3500624005 | USB |



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com