

# AIR SHOWER BOX BSC51-500



# AIR SHOWER BOX BSC51-500

It is necessary passage for people entering clean room in order to minimize particulate contamination  
Used in Cell culturing, Genetics, Microbiological, Research, Cell Biology, Molecular Biology, Plant, Laboratory.  
Also known as Pass Box.

## BSC51-500 AIR SHOWER BOX

Photoelectric sensor, automatic blowing

Adapt with circulation wind to ensure the cleanness of shower area under non-shower status

Double door by electric interlock

LED display with adjustable blowing time(0-99s)

HEPA filter, Class 100 cleanness



## SPECIFICATIONS

Model	BSC51-500
Clean Air Speed	0.36~0.54m/s
UV Lamp	15Wx1
External Size (WxDxH)	660x570x1000 mm
Internal Size (WxDxH)	500x500x500 mm
Material	304 stainless steel
Interlock	Electronical
HEPA Filter	Efficiency $\geq 99.995\%$ at $0.3\mu\text{m}$
Gross Weight	80 kg
Packing Size(WxDxH)	780x700x1250 mm
Power Supply	220V, 50Hz; 110V, 50/60Hz

**LABSTAC**

**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: [contact@labstac.com](mailto:contact@labstac.com) | Website: [labstac.com](http://labstac.com)