

BENCHTOP LOW SPEED CENTRIFUGE CEN34-0600PRP



BENCHTOP LOW SPEED CENTRIFUGE

CEN34-0600PRP

Designed around your applications to provide you competent sample processing and reliable results. Microcomputer programmable with excellent temperature controls and low noise operation maximize your productivity. Highly efficient with low maintenance requirements, it is an ideal separation tool for multiple research applications.

Used in Cell Separation, Precipitation, Sample Processing, Clinical, Cell Culture, Microplate Processing, Biochemistry, medical diagnosis.

Also known as Floor Standing Centrifuge, Laboratory Floor Type Centrifuge, Benchtop Centrifuge, Non Refrigerated High Speed Centrifuge, Laboratory Tabletop Centrifuge.

CEN34-0600PRP BENCHTOP LOW SPEED CENTRIFUGE

Brushless DC frequency motor with simpler construction, more reliable performance, longer life.

Smooth in operation, low noise and small vibration.

Flexible axle driven system which drive the rotor directly, smooth in operation, low noise and small vibration.

Microprocessor control speed, temperature and time, digital display, 10 kinds of accelerating and decelerating speed for your choice.

Electric lid lock, compact design, super speed and imbalance protection.

3 tiers protection steel cover.



SPECIFICATIONS

Model	CEN34-0600PRP
Maximum Capacity (No of tubes x Vol.)	6x50 ml
Maximum Speed	6000 rpm
Speed Accuracy	±10 rpm
Maximum RCF	3660xg
Time Range	0~99 min
Overall Dimension	265x483x320 mm
Noise Level	<45 dB(A)
Net. Weight	23 kg
Power Supply	AC 220 V 50 Hz 2A
Package	Wooden box

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	RPM	RCF _{xg}
2201512005	Angle rotor	12x20 ml	4000	2220xg
2201512006	Angle rotor	6x50 ml	4000	2100xg
2201512007	Angle rotor	6x10/7/5 ml	6000	3450xg

2201512008	Angle rotor	6x15/7/5 ml	6000	3660xg
2201512009	Angle rotor	24x10 ml	4000	2200xg
2201512010	Angle rotor	12x15/7/5 ml	5000	3080xg

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com