

REFRIGERATED MICROCENTRIFUGE CEN48-150R



REFRIGERATED MICROCENTRIFUGE CEN48-150R

This compact, powerful micro centrifuge is useful to separate or sediment small volume samples at high speed. The short-spin key, soft brake, FastTemp features optimizes the overall function of the centrifuges. Faults are diagnosed automatically and displays fault code. These hybrid micro-centrifuge can run PCR tubes, Capillary tubes along with standard tubes.

Used in Molecular Biology Separations, Clinical, Labs, Biochemistry, Tissue Culture, Genomics, Drug discover.
Also known as Microfuge, Refrigerated Microcentrifuge, Laboratory Microcentrifuge.

CEN48-150R REFRIGERATED MICROCENTRIFUGE

Sensitive samples are protected by Soft-brake function

LCD display

Separate short-spin key for quick centrifugation

Autoclavable rotors

Temperature reaches +4 at Maximum speed

FastTemp function ensures quick pre-cooling of the machine



SPECIFICATIONS

Model	CEN48-150R
Maximum Capacity (No of tubes x Vol.)	24x1.5/2 ml
Temperature Range	-10°C to 40°C
Maximum Speed	500-15000
Maximum RCF	21400xg
Time Range	1s ~ 99 min 59S
Acceleration/ Deceleration	15s115s↓
Temperature Control at 4°C	± 2°C
Overall Dimension	300x500x320 mm
Weight (Net/Gross)	28 kg
Power	500 W
Power Supply	AC100-120V/AC200-240V 50-60Hz

OPTIONAL ACCESSORIES

Accessory Code	Name	Capacity
2202108005	Rotor	24x1.5/2.0ml
2202108006	PCR strip Rotor	4-8x0.2ml
2202108007	Rotor	12x5ml
2202108008	Adapter	0.5-0.6ml tube
2202108009	Adapter	0.2ml tube



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com