

# AUTOMATIC AIR GENERATOR GEN13-1000



# AUTOMATIC AIR GENERATOR GEN13-1000

Air Generator is designed for removing hydrocarbons from the air stream and produces pure, hydrocarbon free and dry air, with a very low dew point. Long service life, easy maintenance, abrasion resistant, cost effective, performance, quick and easy servicing are some of the features which makes it convenient for the laboratory.

Used in Pharmaceutical, Gas Chromatography Detectors, Petrochemical, Laboratory, Medical, Research, Industries, Environmental, Clinical, Forensics..

Also known as Laboratory Air Generator.

## GEN13-1000 AUTOMATIC AIR GENERATOR

The hydrocarbon is changed into carbon dioxide and vapor in the catalyzer with Pt-Pd carrier

Increased gas output quality

Compact design, easy using, automatically operation, safety



## SPECIFICATIONS

|                           |                  |
|---------------------------|------------------|
| Model                     | GEN13-1000       |
| Output air concentration  | <0.1PPM          |
| Input air concentration   | <100PPM          |
| Maximum Output Pressure   | 0-0.6 Mpa        |
| Maximum Flow Rate         | 1000 ml/min      |
| Power Supply              |                  |
|                           | 220V±10% 50~60Hz |
| Consumption Power         | 150 W            |
| Working Temperature       |                  |
|                           | 400-450°C        |
| Environmental Temperature |                  |
|                           | 0-40°C           |
| Humidity                  | <85%             |
| Dimension                 | 400x360x220 mm   |
| Net Weight                |                  |
|                           | 12 Kg            |



**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [contact@labstac.com](mailto:contact@labstac.com) | Website: [labstac.com](http://labstac.com)