





AUTOMATIC HYDROGEN GENERATOR GEN21-0200

Engineered to provide a safe, ultrahigh-purity alternative to high-pressure gas cylinders in the laboratory for carrier and fuel gas applications, most often in gas chromatography. It is compact, reliable, practical and cost-effective alternative to pressurized cylinders. Due to hydrogen's flammability, the importance of safety features is paramount. Used in Gas quality monitoring, General laboratory, Gas chromatography, TOC, Industries, Environmental, Petrochemical, Pharmaceutical, Cinical, Forensics..

Also known as Laboratory Hydrogen Generator.

GEN21-0200 AUTOMATIC HYDROGEN GENERATOR

Automatic control, constant pressure, constant flow Membrane separation technique Compact, frees up valuable space Easy operation, eliminate the need for expensive gas cylinder Safe and reliable



SPECIFICATIONS

Model	GEN21-0200
Hydrogen purity	99.999%
Output Pressure	0-0.3 MPa
Pressure Stability	< 0.001MPa
Dimension	200x140x290 mm
Net Weight	6 kg
Consumption Power	100 W
Power Supply	220V±10%, 50Hz



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: contact@m.labstac.com | Website: labstac.com