

ELECTRIC WHEELCHAIR HBD92-EW1



ELECTRIC WHEELCHAIR HBD92-EW1

Wheelchair is mainly used as a manually operated or power-driven device designed with double cross-shaped brackets, which enhance the safety of the structure. In the meantime, adjustable armrests, quick disassembly of footrest, positioning of Controller and other functions reflect the user-friendly design, and provide great convenience for the user.

Used in Seat elevation, Special operator controls for patient.

Also known as Motorized wheelchair, Electric-powered wheelchair.

HBD92-EW1 ELECTRIC WHEELCHAIR

It is a type of steady, simple and Practical Electric Wheelchair



SPECIFICATIONS

| Model | HBD92-EW1 |
|-------------------------------------|-----------|
| Wheelchair length | 1050 mm |
| Opened wheelchair width | 685 mm |
| Wheelchair Height | 940 mm |
| Closed wheelchair width | 420 mm |
| Seat Width | 445 mm |
| Speed per Hour | > 6 Km/h |
| Front wheel | 8" inch |
| Rear wheel | 12" inch |
| Seat Height | 495 mm |
| Seat depth | 420 mm |
| Backrest Height | 430 mm |
| Km of Endurance | > 20 Km |
| Armrest Height | 205 mm |
| Distance between armrest | 440 mm |
| Height between footrests and ground | 100 mm |
| Bearing Load | 100 Kg |
| Net Weight (Without battery) | 34 Kg |
| Gradeability | > 6° |



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com