

AIR JACKETED CO2 INCUBATOR INC94-240A



AIR JACKETED CO2 INCUBATOR INC94-240A

Precise management of temperature and CO2 provides an exceptionally stable environment, it is easy to maintain precise time/date stamped records of all incubator functions as often as necessary and adopts door heating control system. It is majorly used in issue engineering, mammalian cell research, tissue culturing and oncology studies. Used in Cell Culturing, Tissue culturing, Tissue Engineering, Vitro fertilization, Mammalian cell research, Oncology studies..

Also known as Laboratory CO2 Incubator Air Jacketed.

INC94-240A AIR JACKETED CO2 INCUBATOR

151 liters internal volume
Zirconium oxide Sensor
IR CO2 sensor
Water Level Alarm
Integrated electric siphon pump
Auto-zero
Temperature deviation (at 37°C)
Moist-heat disinfection at 90°C
Relative humidity $\geq 95\%$



SPECIFICATIONS

Model	INC94-240A
Capacity	240 L
Temperature Range	5°C above ambient temperature to 50°C
Temperature Stability	$\pm 0.1^{\circ}\text{C}$
Temperature Uniformity	$\pm 0.2^{\circ}\text{C}$
CO2 Range	0-20%
CO2 Stability	$\pm 0.1\%$
CO2 Sensor	Thermal Conductivity
CO2 Inlet Pressure	0.1 Mpa
Filter	0.3 μm , Efficiency:99.998% (for CO2)
Access Port	Standard
Remote alarm contacts	Standard
Relative Humidity	$\geq 95\%$
Humidifying System	Special designed water reservoir
Water reservoir volume	3 L
Inner Door	6 inner doors standard
Interior	Type 304, mirror finish, stainless steel
Exterior	Electrolyzed galvanization steel, powder coated
Temperature Sensors	PT1000
Internal Dimension	607Wx580Dx670H mm
Exterior Dimension	780Wx820Dx944H mm
Shelves/Trays	3 standard, 12 maximum

Half-size shelves	6
Shelf Dimension(WxD)	423x445 mm
Temperature control method	Microprocessor
CO2 control system	Microprocessor
Alarm System	Power interruption, High/Low temperature, Deviation of CO2, RH, Door ajar, Independent overheat protection
Weight	80 kg
Data Output	RS232
De-contamination	90°C moist heat disinfection
Power	735 W
Power Supply	AC-220 V/AC 110 V 50/60 Hz

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com