

# PLATELET INCUBATOR INCC1-05L



# PLATELET INCUBATOR INCC1-05L

Platelet Incubator is designed to store platelet concentrates in continuous motion at a controlled temperature. It provides precise and steady storage conditions for maintaining the viability of platelet concentrates. Used in Biochemical Studies, Hematological Studies, Bacterial Culturing, Research, Microbiological Determinations, Pharmaceutical Stability Assays, Food Processing Quality Control. Also known as Laboratory Platelet Incubator.

## INCC1-05L PLATELET INCUBATOR



### SPECIFICATIONS

Model	INCC1-05L
Capacity	5 L/cu.ft
Cooling Method	Forced air cooling
Defrost	No frost
Refrigerant	R134a
Temperature range	20~24°C
Ambient temperature	10~32°C
Compressor brand/QTY	EMBRACO/1
Temperature controller	Microprocessor PID
Sensor	NTC
Display	Digital display
Inside material	SUS
Outside material	Colored Spray Steel
Insulation Materials	PU
Bloodbags(450ml)/Drawer NT./GT.	10 /5 layers 65/87 Kg
Alarm System	High/low temperature, Power failure, Sensor malfunction, Door ajar, Power failure backup system(alarm)-72h
Accessories	Caster, Outer door / Type - 1Foamed glass door,Test hole - Optional, Light - UV Light, Temperature recorder - Optional
Shelf/drawer QTY	Drawer
Internal Dimension	427Wx360Dx467H mm
Exterior size	520Wx640Dx1030H mm
Package size(WxDxH)	590x695x1210 mm

CBM	0.5
20GP/40GP/40HQ	24/48/96
Noise	49 db
Power consumption (kWh/24h)	2.69 (kWh/24h)
Voltage/frequency	220/50Hz
Power	197 W
Current	0.9 A

**LABSTAC**

**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [contact@mail.labstac.com](mailto:contact@mail.labstac.com) | Website: [labstac.com](http://labstac.com)