

MULTI-PARAMETER ANALYZER MET101-130



MULTI-PARAMETER ANALYZER MET101-130

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

MET101-130 MULTI-PARAMETER ANALYZER



Product Image Coming Soon

SPECIFICATIONS

Model	MET101-130
DC Voltage	
200 mV/2 V/20 V/200 V	$\pm (0.5\%+3)$
600 V	$\pm (0.8\%+5)$
AC Voltage	
200 V/600 V	$\pm (0.8\%+3)$
600 V	$\pm (1.0\%+5)$
DC Current	
200 μ A/2000 μ A/20 mA/200 mA	$\pm (1.8\%+5)$
AC Current	
200 μ A/2000 μ A/20 mA/200 mA	$\pm (2.0\%+5)$
Resistance	
200 Ω /2 k Ω /20 k Ω /200 k Ω /2 M Ω /10 M Ω	$\pm (1.0\%+3)$
20 M Ω	$\pm (1.2\%+15)$
Display	2000 Counts
Data Hold	Yes
Continuity	Yes
NCV	Yes
Work Light	Yes
Power Supply	2x 1.5 V AAA Batteries
Weight	Approx. 133.5/146.5 g
Size	130x62x27 mm
Safety Standard/Rating	EN61010-1,EN61010-2-033,EN61326,CAT.III 600 V

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com