

MULTI-PARAMETER ANALYZER MET101-600



MULTI-PARAMETER ANALYZER MET101-600

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

MET101-600 MULTI-PARAMETER ANALYZER



SPECIFICATIONS

| | |
|---|---------------|
| Model | MET101-600 |
| DC Voltage | |
| 600 mV/6 V/60 V/600 V/1000 V | ± (0.5%+3) |
| AC Voltage | |
| 6 V/60 V | ± (0.8%+3) |
| 600 V/750 V | ± (1.0%+10) |
| DC Current | |
| 60 μA/60 mA/600 mA | ± (0.8%+3) |
| 20 A | ± (1.2%+3) |
| AC Current | |
| 60 mA/600 mA | ± (1.0%+3) |
| 20 A | ± (1.5%+3) |
| Resistance(Ω) | |
| 600 /6 k/6 0k/600 k/6 M | ± (0.8%+3) |
| 60 MΩ | ± (1.2%+30) |
| Capacitance | |
| 6 nF | ± (4.0 % +30) |
| 60 nF/600 nF/6 μF/60 uF/600 μF/6 mF ±(4.0%+3) | ± (4.0 % +3) |
| 100 mF | ± (5.0 % +3) |
| Frequency | |
| 60/600/6 k/60 k/600 k/6 M/10 MHz | ± (1.0%+3) |
| Duty | |
| 5 % ~95 % | ± (2.0 % +3) |
| hFE | |
| 0 ~1000 | ± (1.0 % +3) |

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@mail.labstac.com | Website: labstac.com