

**LABSTAC**

# MULTI-PARAMETER ANALYZER MET101-750



# MULTI-PARAMETER ANALYZER MET101-750

Multi-parameter Analyzer simultaneously measures Ion, Conductivity, Dissolved Oxygen, Temperature that otherwise requires four different meters. With the appropriate probes installed, it can also simultaneously measure several or one parameters.

## MET101-750 MULTI-PARAMETER ANALYZER



### SPECIFICATIONS

Model	MET101-750
DC Voltage	
600 mV/6 V/60 V/600 V/1000 V	± (0.5%+3)
AC Voltage	
6 V/60 V	± (0.8%+3)
600 V/750 V	± (1.0%+10)
DC Current	
60 µA/60 mA/600 mA	± (0.8%+3)
20 A	± (1.2%+3)
AC Current	
60 mA/600 mA	± (1.0%+3)
20 A	± (1.5%+3)
Resistance(Ω)	
600 /6 k/60 k/600 k/6 M	± (0.8%+3)
60 MΩ	± (1.2%+30)
Capacitance	
6 nF	± (4.0 % +30)
60 nF/600 nF/6 µF/60 uF/600 µF/6 mF ±(4.0%+3)	± (4.0 % +3)
100 mF	± (5.0 %+3)
Frequency	
60/600/6 k/60 k/600 k/6 M/10 MHz	± (1.0%+3)
Duty	
5 % ~95 %	± (2.0 %+3)
Temperature	
-20 °C ~ 1000 °C/ -4 °F' 1832 °F ± (1.036+3)	± (1.0 %+3)

hFE		
0 ~1000		± (1.0 %+3)

**LABSTAC**

**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: contact@m.labstac.com | Website: labstac.com