

# TUBE ROLLER MIX21-080R



# TUBE ROLLER MIX21-080R

Roller are designed for use in the laboratory to gently roll bottles to provide mixing at a steady even rate. They are ideal mixers to prevent sedimentation of samples. It is highly efficient, gentle rolling action and easy to maintain. Recommended for mixing blood samples, viscous substances and liquid-solid suspensions where minimum aeration is required.

Used in Industrial, Clinical Laboratories, Academic Facilities, Environmental Applications, Food Technology, Wastewater Facilities.

Also known as Tube Roller, Roller, Laboratory Roller.

## MIX21-080R TUBE ROLLER

Compact and firm designed, simple operation, LED display time and speed.

Two types selectable - rolling type and rolling & swinging type. Continuous working mode, safe and stable.

With stable performance motor, operation speed adjustable, max. speed to 80rpm. Low noise, long using life.

Can compatible with different size of tubes. Large range of application.



## SPECIFICATIONS

Model	MIX21-080R
Speed Range	5 ~ 80 rpm
Operation Mode	Rolling
Roller Quantity	6
Roller Length	280 mm
Max. Load	4 kgs
Time Range	1min~99h59min
Voltage	AC 100~230V, 50/60 Hz
Power	25 W
Fuse	250V, 1A, $\Phi$ 5x20
Dimension	W.450 x D.260 x H.120 mm

# LABSTAC

**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [contact@mail.labstac.com](mailto:contact@mail.labstac.com) | Website: [labstac.com](http://labstac.com)