

TUBE ROLLER MIX23-0070



TUBE ROLLER MIX23-0070

Roller are designed for use in the laboratory to gently roll bottles to provide mixing at a steady even rate. They are ideal mixers to prevent sedimentation of samples. It is highly efficient, gentle rolling action and easy to maintain. Recommended for mixing blood samples, viscous substances and liquid-solid suspensions where minimum aeration is required.

Used in Industrial, Clinical Laboratories, Academic Facilities, Environmental Applications, Food Technology, Wastewater Facilities.

Also known as Tube Roller, Roller, Laboratory Roller.

MIX23-0070 TUBE ROLLER

Rocking and rolling motions for complete mixing

Speed range of 0-70rpm

Six roller design with small footprint and easy clean

DC brushless motor provides reliable and quiet running, maintenance free

Designed for continuous operation

Can be used in cold rooms or in incubators



SPECIFICATIONS

Model	MIX23-0070
Speed Range	0-70 rpm
Temperature	4-40°C
Roller Length	343 mm
Maximum Diameter Tubes	3 inches
Amplitude	24 mm
Maximum Load Capacity	5 kg
Operation	Continuous, No timer
Dimension	533Lx279Wx127H mm
Motor Type	DC brushless
Weight	5.5 kg
Power Supply	100-220V, 50/60Hz

LABSTAC

Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: contact@mail.labstac.com | Website: labstac.com