

# THERMOSTATIC DRYING OVEN OVE13-040



# THERMOSTATIC DRYING OVEN OVE13-040

Heating Oven, Laboratory Drying Oven

Used in Drying, Baking, Disinfecting, Sterilization, Laboratory, Research, Engineering, Industry, Thermostat storage, Heating Storage.

Also known as Heating Oven, Laboratory Drying Oven.

## OVE13-040 THERMOSTATIC DRYING OVEN

ALLSENSTM programmable PID control

ALLHEAT™ cavity warm-up technology

ALLFLOW™ perfect air current cycling

Pro-INSULATION™ Insulation technology

SUS304 stainless steel internal material

Build-in memory menu, real-time monitoring

Display parameters: Temperature, Air velocity, Run time, Run/Stop



## SPECIFICATIONS

Model	OVE13-040
Capacity	40 L
Temperature Range	RT+5 - 250°C
Ambient Temperature	10-30°C
Temperature Accuracy	0.1°C
Temperature Fluctuation	±1°C(50 - 240°C)
Temperature Uniformity	2%(50 - 240°C)
Ambient Humidity	<70%
Timer Range	0-99 h or 0-9999 min
Convection Mode	Forced Convection
Internal Dimension	350Wx350Dx350H mm
Exterior Dimension	570Wx580Dx593H mm
Package Size	690x660x680 mm
Shelves	2
Weight	40/43 kg
Power	770 W
Power Supply	Single phase AC220V/50Hz

***LABSTAC***

**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [contact@mail.labstac.com](mailto:contact@mail.labstac.com) | Website: [labstac.com](http://labstac.com)