

+4/+22 BLOOD TRANSPORT BOX REF23-700



+4/+22 BLOOD TRANSPORT BOX REF23-700

Designed as an essential piece of equipment in the immunohematology department and provides safe and convenient storage of whole blood, blood components, reagents and ensures freshness and integrity of blood and blood components. Microprocessor integrated system provides excellent temperature accuracy and reliable performance. Used in Immunohematology Department, Blood Bank, Laboratory, Research, Medical, Pharmaceutical. Also known as Laboratory Blood Bank Refrigerator.

REF23-700 +4/+22 BLOOD TRANSPORT BOX



SPECIFICATIONS

Model	REF23-700
Capacity	700 L
Temperature Range	+4°C
Ambient Temperature	10~32°C
Refrigerant	R134a
Defrost Method	No frost
Controller	Microprocessor Control with digital Display
Control Sensor	NTC
Cooling Type	Forced air cooling
Shelf/drawer	Blood Baskets
Alarms	High/low temperature, Power failure, Sensor error, Thermostat failure, 8h Power failure backup system(alarm)
Insulation	PURF
Material Inside	PE
Material Outside	PE
Internal Size	939x973x863 mm
External Size	1070x1120x1080 mm
Package Size	1140x1190x1150 mm
CBM	1.56
20GP/40GP/40HQ	16/40/40
NT./GT. (kg)	182/209kg
Power consumption (kW.h/24h)	1.6
Power	160W

Current (A)	DC12V/14A, DC24V/7A, AC220V/1.5A
Voltage/frequency (V/Hz)	DC12V, DC24V, AC220V
Standard Accessories	PE Foot,
Optional Accessory	Temperature recorder



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com