

# ORBITAL SHAKER SHA51-250



# ORBITAL SHAKER SHA51-250

Allows for easy and accurate rack placement, data retrieval on power failure and slow start up function prevents liquid spillage. Applications like stability and dissolution studies, liquid extractions, protein precipitation studies, small peptide synthesis and dilutions makes it an ideal choice.

Used in Stability, Dissolution Studies, Liquid Extractions, Protein Precipitation, Small Peptide Synthesis, Dilutions.

Also known as Laboratory Orbital Shaker.

## SHA51-250 ORBITAL SHAKER

Microprocessor control with simultaneous display of time and speed

Brushless DC motor ensures maintenance-free, reliable and quiet operation

Adjustable speed control provides gentle to vigorous agitation

Audio alarm signals program completion

Accommodate a variety of platforms, non-slip rubber mat, conical flasks and other sample containers



## SPECIFICATIONS

Model	SHA51-250
Speed Range	50-250 rpm
Shaking Orbit	30 mm
Timing Range	1 min~99 h 59 min
Maximum Load Capacity	3 kg
Dimension	W.284 x D.264 x H.108mm
Fuse Protector	250 V, 1 A, $\phi$ 5x20
Weight	5.6 kg
Power	50 W
Power Supply	AC100-230V, 60Hz

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description
1901305005	Platform 4	flat platform with non-slip rubber mat
1901305006	Platform 4A	double deck flat platform with non-slip rubber mat
1901305007	Platform 100	platform with clamps for flasks 100-150 ml
1901305008	Platform 250	platform with clamps for flasks 250-300 ml

Accessory Code	Name	Description
1901305009	Platform 12	universal platform with adjustable bars
1901305010	Platform 260	universal platform with springs
1901305011	Platform GS	used in the platform PP-4 or PP-4A



**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA  
Email: [contact@labstac.com](mailto:contact@labstac.com) | Website: [labstac.com](http://labstac.com)