

# SINGLE BEAM UV VISIBLE SPECTROPHOTOMETER SPE11-1100



# SINGLE BEAM UV VISIBLE SPECTROPHOTOMETER

## SPE11-1100

Single beam specs measure absolute light intensity. It can perform photometric measurement, quantitative measurement, spectrum scanning, DNA/Protein analysis.

Used in Most suitable for quantitative determination assays and toxicological assays in environmental, industrial, pharmaceutical fields..

Also known as Vis Spectrometer, UV-Vis Spectrometer, Spectrometers, visible spectrophotometer.

## SPE11-1100 SINGLE BEAM UV VISIBLE SPECTROPHOTOMETER

Wavelength range: 190nm-1100nm

Bandwidth: 2nm

Detector: Silicon Photodiode

Stray Light: It is achieved in range of  $\leq 0.05\%T$

Light source: Deuterium and tungsten halogen lamp

A wide range of standard cuvettes can be used based on the sensitivity or sample volume requirements

The sample analysis software provides the scanning, fixed wavelength analysis, quantitative analysis, data collection, storage, export, and reporting.

USB port and parallel port

Inclusive of standard PC software

With additional feature of an easy access USB port available in the unit which enables results to be stored directly to a USB memory stick for easy transfer of data. It can store up to 200 results.

Provides Photometric, Quantitative, Kinetics, Wavelength scan, Multi-wavelength and DNA/Protein Test functions

Enables building of calibration curves and further implementation of associated tests

Formation of multi-point standard curve using calibration curve method enables measurement of unknown sample concentration

Implements sample measurement after addition of coefficient of curvilinear equation using coefficient method

Automatic wavelength calibration and automatic deviation repair

Easy changing of deuterium and tungsten lamp excluding the need for debugging



## SPECIFICATIONS

Model	SPE11-1100
Wavelength Range	190-1100 nm
Wavelength Accuracy	$\pm 0.5$ nm
Wavelength Reproducibility	$\leq 0.2$ nm
Wavelength Repeatability	$\leq 0.2$ nm
Spectral Bandwidth	1.8 nm
Photometric Range	0.200%T, -0.3-3A, 0-9999C
Photometric Accuracy	$\pm 0.3$ %T
Photometric Repeatability	$\leq 0.15$ %T
Stability	$\pm 0.0001$ A/h at 500 nm

Baseline Flatness	±0.0001 A
Stray Light	≤0.05 %T
Light Source	Deuterium Lamp and Tungsten-Halogen Lamp
Gross Dimension (W/D/H)	460x380x180mm
Display	LCD (320x240 pixel)
Noise	±0.0005A
Weight (Net/Gross)	20 kg
Power	300 W
Power Supply	AC 220V/50Hz or AC110/60Hz

## ACCESSORIES

Accessory Code	Name	Unit
2900505018	Glass cuvette (10 mm)	4 pcs
2900505020	Quartz cuvette (10 mm)	2 pcs
2900505022	Dustproof cover	1 pc
2900505025	Software CD	1 pc

Accessory Code	Name	Unit
2900505027	USB Cable	1 pc
2900505029	Power cord	1 pc
2900505031	Softdog	1 pc

## OPTIONAL ACCESSORIES

Accessory Code	Name	Description	Light Path LxWxH (mm)	Volume	Unit	Light Path LxWxH (mm)
2900505006	Single Position Water Jacketed Ambient Cell Holder	10 mm				
2900505007	4-Position Cell Holder	10 mm				
2900505008	4-Position Cell Holder	50 mm				
2900505009	4-Position Cell Holder	100 mm				
2900505010	8-Position Cell Holder	10 mm				
2802305005	Adjustable Cell Holder for Micro Cuvettes					
2802305006	Transparent Film Holder					
2900505011	Tube Holder					
2900505012	Thermostatic Controller					
2900505013	Auto Sampler					
2900505014	Auto Thermostatic Sampler					
2900505015	Micro Printer					
2900505016	Tungsten Lamp 6V; 10W (PH)					
2900505017	Tungsten Lamp 12V; 20W (PH)					
2900505019	Tungsten Lamp 12V; 20W (OSRAM)					
2900505021	D2 Lamp A510YXU Milasi					
2900505023	Glass Cuvette		5x10x45	1.7 ml	Set (4 pcs)	
2900505024	Glass Cuvette		10x10x45	3.5 ml	Set (4 pcs)	
2900505026	Glass Cuvette		20x10x45	7 ml	Set (4 pcs)	
2900505028	Glass Cuvette		30x10x45	10.5 ml	Set (4 pcs)	
2900505030	Glass Cuvette		40x10x45	14 ml	Set (4 pcs)	
2900505032	Glass Cuvette		50x10x45	17.5 ml	Set (4 pcs)	
2900505033	Glass Cuvette		100x10x45	35 ml	Set (4 pcs)	
2900505034	Quartz Cuvette		5x10x45	1.7 ml	Set (2 pcs)	

2900505035	Quartz Cuvette		10x10x45	3.5 ml	Set (2 pcs)	
2900505036	Quartz Cuvette		20x10x45	7 ml	Set (2 pcs)	
2900505037	Quartz Cuvette		30x10x45	10.5 ml	Set (2 pcs)	
2900505038	Quartz Cuvette		40x10x45	14 ml	Set (2 pcs)	
2900505039	Quartz Cuvette		50x10x45	17.5 ml	Set (2 pcs)	
2900505040	Quartz Cuvette		100x10x45	35 ml	Set (2 pcs)	
2900505041	Micro Quartz Cuvette		10x2x2.5	50 ml	Set (2 pcs)	
2900505042	Micro Quartz Cuvette		10x2x5	100 µl	Set (2 pcs)	
2900505043	Micro Quartz Cuvette		10x2x10	200 µl	Set (2 pcs)	
2900505044	Micro Quartz Cuvette		10x2x25	500 µl	Set (2 pcs)	
2900505045	Micro Quartz Cuvette		10x2x45	700 µl	Set (2 pcs)	
2901805005	Quartz Flow Cuvette				Set (2 pcs)	
2900505046	Micro Quartz Cuvette				Set (2 pcs)	10x2x45

**LABSTAC**

**Labstac LLC**

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA

Email: [contact@labstac.com](mailto:contact@labstac.com) | Website: [labstac.com](http://labstac.com)