

MULTISTATION MAGNETIC STIRRER STR47-1000



MULTISTATION MAGNETIC STIRRER STR47-1000

Multistation Magnetic Stirrer is designed for high-efficiency experiments and has stir bar configurations to choose. Laboratory space can be used effectively. Low speed but stable, high speed but powerful with low noise. Non-slip and anti-corrosion.

Used in Cell Culture, Laboratory, Research, Medical.

Also known as Laboratory Multistation Magnetic Stirrer, Digital Magnetic Stirrer.

STR47-1000 MULTISTATION MAGNETIC STIRRER

The BMMS waterproof stirrer can be put into a water bath or work in a high-humidity constant temperature box.

BMMS waterproof stirrer can stir smoothly in a suitable working temperature of 0 \sim 60 $^{\circ}\text{C}$

Ultra-light and ultra-thin, novel appearance, compact size, saving experiment space The controller and the agitator are separated. The number and combination of stirrer can be adjusted arbitrarily, up to 6 stirrer

Using the USB interface connection method, easy to plug and unplug

Each stirrer has a separate speed and time, making it easier to compare experiments

Touch buttons and sliding touch adjustment, durable, novel and fashionable

Advanced wear-free magnetic coil technology, quieter and more stable operation, longer service life

LCD screen real-time display parameters, LED indicator shows working status, the running status of the instrument is more intuitive



SPECIFICATIONS

Model	STR47-1000	
Controller		
waterproof	No	
Suitable operating temp. Range	Room temperature	
Max. stirring volume(H2O)	/	
Motor output power	/	
Speed setting (running) range	connecting with 20~1000rpm(increment 10rpm)	
Timing range	0~9 hours (0 means infinity,increment 5min)	
Display method	LCD	
Working plate material	/	
Working plate size	/	
Dimensions	165x105x45 mm	
Weight	0.48 Kg	
Power adapter input	AC100-240V 50/60Hz 60VA	
Power adapter output	DC 24V, 2A	
Stirrer		
waterproof	Yes	
Suitable operating temp. Range	0~60°C	
Max. stirring volume(H2O)	1 L	
Motor output power	4 W	
Speed setting (running) range	20~1000 rpm	

2

Timing range	/
Display method	/
Working plate material	PA66
Working plate size	Ф120mm
Dimensions	120x120x19 mm
Weight	0.27 Kg
Power adapter input	/
Power adapter output	/

OPTIONAL ACCESSORIES

Accessory Code	Name	Description	Waterproof
3301007005	Controller	Controller	No
3301007006	Stirrer Plate	20 ~1500 rpm	No
3301007007	Stirrer Plate	20 ~1000 rpm	Yes



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA Email: contact@labstac.com | Website: labstac.com