

CLASS I BIOLOGICAL SAFETY CABINET



CLASS I BIOLOGICAL SAFETY CABINET

Used in Microbiological, Laboratory, Genetics, Cell Biology, Molecular Biology, Plant, Animal Cell culturing, Research. Also known as Class I BSC, Biosafety Cabinet.

BSC11 CLASS I BIOLOGICAL SAFETY CABINET

Stainless Steel 304 table for operation

HEPA Filter protects environment by filtering air before it is exhausted

UV lamp for sterilization

Soft touch control panel with LCD display

Stable air flow system providing personnel and environmental protection

Negative air pressure provides personnel protection by constant movement of air in working area

Low noise and high energy efficiency for operational cost savings



SPECIFICATIONS

Model	BSC11-540	BSC11-680	BSC11-800	BSC11-968	
Туре	Class I				
HEPA Filter	99.995% efficiency at 0.3 μm				
Air Flow Velocity	>0.3 m/s	0.75 ~ 1.0 m/s	>0.3 m/s	0.75 ~ 1.0 m/s	
UV Lamp	15Wx1 Emission of 253.7 nanometers for most efficient decontamination	20Wx1 Emission of 253.7 nanometers for most efficient decontamination	20Wx1 Emission of 253.7 nanometers for most efficient decontamination It has UV timer function and the display could indicate the UV life		
Illuminating Lamp	4Wx1 LED lamp	8Wx1 LE	ED lamp 12x2 Fluorescent lamp		
Main body construction	PMMA		Cold-rolled steel with anti bacteria powder coating, tempered glass		
Work Table	304 Stainless Steel				
Work Surface Height		/		750 mm	
Caster	/		Universal Caster		
Noise	≤60dB	≤55dB	≤60dB	≤67dB	
Standard Accessory	LED lamp, UV lamp x2			Fluorescent lamp, UV lamp x2 , Base stand	
Optional Accessory	Electric Height adjustable base stand				
Internal Size (WxDxH)	540x385x440 mm	680x540x500 mm	800x635x600 mm	968x625x630 mm	
External Size (WxDxH)	550x395x730 mm	700x550x900 mm	900x713x1250 mm	1100x697x1900 mm	
Package Size (WxDxH)	710x550x950 mm	870x720x1170 mm	1060x870x1140 mm	1260x860x2080 mm	
Gross Weight	38 kg	68 kg	147 kg	185 kg	
Power Consumption	150 W	160 W	400 W	350W	
Power Supply	AC220V+10% 50/60Hz; 110V+, 60Hz				

labstac.com

2

ACCESSORIES

Accessory Code	Name
5900505012	UV Lampx2

OPTIONAL ACCESSORIES

Accessory Code	Name	External Dimension	Package Size (mm)
2100505005	Infrared Sterilizer	150x95x210 mm	
2100505006	Airflow Tester		
2100505007	Formalin Fumigation Sterilizer		300x200x160 mm
2100505008	Ammonium Hydrogen Carbonate Neutralizer		300x200x160 mm
2100505009	Armrest		
2100505010	Laboratory Chair		
2100505011	Dust Particle Counter		
2100505012	Digital Sound Level Meter		
2100505013	Illumination Meter		
2100505014	Air Flow Anemometer		
2100505015	Protective Garment		
2100505016	Protective Gloves		









LABSTAC

Labstac LLC