

HYDROGEN NITROGEN AIR GENERATOR



HYDROGEN NITROGEN AIR GENERATOR

Hydrogen Nitrogen Air Generator

Used in All Analytical Instruments, Ampule Filling, GC-FID, FPD, NPD, TCD, Pharmaceutical, Gas Chromatography Detectors, Petrochemical, Laboratory, Medical, Research, Industries, Environmental, Clinical, Forensics.

Also known as Laboratory Hydrogen Nitrogen Air Generator.

GEN61 AUTOMATIC HYDROGEN NITROGEN AIR GENERATOR

As gas source supply for Gas Chromatography, can replace inconvenient large size gas cylinder

Easy to operate, stable pressure output, with gas flow meter

It does not consume electrolyte solute, only need to add distilled water

Multiple safety protections

Can work continuously for a long time



SPECIFICATIONS

Model	GEN61-0300	GEN61-0500
Air Pressure	0.4 Mpa	
Nitrogen Purity	Oxygen Content: <3PPM, dew point: -56°C	
Nitrogen Flow Rate	0-300 ml / min	0-500 ml / min
Air Flow Rate	0-2000 ml / min	
Nitrogen Pressure	0.4 Mpa	
Dimension	350x350x500 mm	
Net Weight	30 kg	
Consumption Power	360 W	500 W



GEN61-0300



GEN61-0500



Labstac LLC

82 Wendell Avenue, STE 100, Pittsfield, MA, 01201, USA
Email: contact@labstac.com | Website: labstac.com